

RAGNO  USA

COMETSTONE



COMETSTONE

live inspired

GLAZED PORCELAIN TILE | MADE IN THE USA





TIMELESS COLOR PALETTE

COMETSTONE is a “porcelain stone” ideal for commercial and residential environments, where it brings the timeless color palette and texture of Durango stone on a high-tech, maintenance-free porcelain body.

NATURAL STONE LOOK

The revolutionary technological innovations incorporated into this product guarantee a perfect reproduction of the natural stone look and make the tile well suited to a wide range of conditions of use.









COUNTLESS CREATIONS

The extensive selection of special pieces and different sizes enables the architect, interior designer and remodeler to create countless different layouts, also in combination with natural stone.

COMETSTONE | GLAZED PORCELAIN TILE

20" x 20"
13" x 13"
6 1/2" x 6 1/2"



R591 Snow Ball BI
20"x20"



R653 Snow Ball BI
6 1/2"x6 1/2"



R596 Snow Ball BI
13"x13"



R593 Gold Wing BG
20"x20"



R655 Gold Wing BG
6 1/2"x6 1/2"



R598 Gold Wing BG
13"x13"



R595 Solar Swish GI
20"x20"



R657 Solar Swish GI
6 1/2"x6 1/2"



R600 Solar Swish GI
13"x13"



AF2H Snow Ball BI
Mosaic - Square 2"x2"
13"x13"



AF2K Gold Wing BG
Mosaic - Square 2"x2"
13"x13"



AF2M Solar Swish GI
Mosaic - Square 2"x2"
13"x13"

TRIMS



AH2Z Snow Ball BI Cove Base
AH22 Sun Flash RS Cove Base
AH23 Gold Wing BG Cove Base
AH24 Cliff Tail NO Cove Base
AH25 Solar Swish GI Cove Base
AH26 Green Valley VE Cove Base
6"x8"



AH27 Snow Ball BI Cove Base In Angle
AH28 Sun Flash RS Cove Base In Angle
AH29 Gold Wing BG Cove Base In Angle
AH3A Cliff Tail NO Cove Base In Angle
AH3B Solar Swish GI Cove Base In Angle
AH3C Green Valley VE Cove Base In Angle
1"x6"



AH3D Snow Ball BI Cove Base Out Angle
AH3E Sun Flash RS Cove Base Out Angle
AH3F Gold Wing BG Cove Base Out Angle
AH3G Cliff Tail NO Cove Base Out Angle
AH3H Solar Swish GI Cove Base Out Angle
AH3J Green Valley VE Cove Base Out Angle
1"x6"

20" x 20"
13" x 13"
6 1/2" x 6 1/2"



R656 Cliff Tail NO
6 1/2" x 6 1/2"



R654 Sun Flash RS
6 1/2" x 6 1/2"



RD98 Green Valley VE
6 1/2" x 6 1/2"



R594 Cliff Tail NO
20" x 20"



R599 Cliff Tail NO
13" x 13"



R592 Sun Flash RS
20" x 20"



R597 Sun Flash RS
13" x 13"



RD97 Green Valley VE
20" x 20"



RD96 Green Valley VE
13" x 13"



AF2L Cliff Tail NO
Mosaic - Square 2" x 2"
13" x 13"



AF2J Sun Flash RS
Mosaic - Square 2" x 2"
13" x 13"



AF2N Green Valley VE
Mosaic - Square 2" x 2"
13" x 13"

SINGLE FIRED



R812 Flash RS Bullnose
R814 Flash NO Bullnose
R815 Flash GI Bullnose
3" x 13"

GLAZED PORCELAIN



R658 Flash BI Bullnose
R659 Flash RS Bullnose
R660 Flash BG Bullnose
R661 Flash NO Bullnose
R662 Flash GI Bullnose
A364 Flash VE Bullnose
3" x 13"



AE29 Space BI V-Cap
AE2A Space RS V-Cap
AE2B Space BG V-Cap
AE2D Space GI V-Cap
AE2E Space VE V-Cap
2 1/4" x 6 1/2"



AE2M Space BI Bead
AE2N Space RS Bead
AE2P Space BG Bead
AE2Q Space NO Bead
AE2R Space GI Bead
AE2S Space VE Bead
1" x 6 1/2"




AE2T Space BI Beak
AE2V Space BG Beak
AE2W Space NO Beak
AE2X Space GI Beak
AE2Y Space VE Beak
1" x 1"

SHADE VARIATIONS

The color and shade of all tiles vary to some degree. This variance can be from piece to piece and can also occur from production run to production run.

American National Standard Specifications for Ceramic Tile (ANSI) has implemented a guide that rates ceramic tile on a five-point scale and ranges from V0 through V4.

Instituting the ANSI's color shade variation guidelines you will reduce customer complaints and sell the unique and individual beauty of each ceramic tile.



V0 Very Uniform Appearance

Pieces of the same shade value are very uniform and smooth in texture.

V1 Uniform Appearance

Differences among pieces from the same production run are minimal.

V2 Slight Variation


Clearly Distinguishable differences in texture and/or pattern within similar colors.

V3 Moderate Variation

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

V4 Substantial Variation

Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or texture from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

SHADE VARIATION AND APPLICATIONS			
V4	Residential	Commercial	Industrial
 SUBSTANTIAL VARIATION	Floor	•	•
	Wall	•	•
	Countertop	•	•
	Pool	•	•

Water, oil, grease, or other fluids create slippery conditions. Floors with exposure to these conditions require extra caution in product selection and proper maintenance.

CARE & MAINTENANCE

Cometstone is a stain-resistant porcelain tile. Routine maintenance will keep your tile looking new for years to come.

Ragno USA's products are typically easy to install and maintain using the following general guidelines:

- Choose tile from same dye lot and caliber whenever possible
- Select tile alternately from several boxes and rotate when installing
- Follow industry-accepted installation practices as detailed by Tile Council of America "Handbook for Ceramic Tile Installation" or those recommended by the Ceramic Tile Institute of America
- Remove all grout residue promptly after application; neither acid cleaning nor sealing is recommended
- Clean regularly with clear water and/or a neutral (soapless) cleaner, wipe dry to lessen slippery conditions

TECHNICAL SPECIFICATIONS

DESCRIPTION	ANSI STANDARD	RESULT	ASTM TEST METHOD	
Water Absorption	≤ 0.50%	≤ 0.50%	C373	
Frost Resistance	As Reported	Resistant	C1026	
Scratch Resistance	MOHS 1-10	6	MOHS SCALE	
Breaking Strength	20" x 20"	≥ 250 lbf.	≥ 598 lbf.	C648
	13" x 13"	≥ 250 lbf.	≥ 517 lbf.	C648
Facial Dimension	-3.0 % ≤ Nominal ≤ 3.0 %	Within Standard	C499	
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499	
Wedging (Squareness)	+/- 0.50 % or +/- 2.0 mm*	Within Standard	C502	
Warpage Edge (Flatness)	+/- 0.75 % or +/- 2.3 mm*	Within Standard	C485	
Class (PEI)	Class 0 - Class V	Class IV	C1027	
C.O.F. (Wet)	As Reported	0.60 ≤ COF < 0.70	C1028	
C.O.F. (Dry)	As Reported	0.70 ≤ COF < 0.80	C1028	
Chemical Resistance	Class A - Class E	Class A	C650	
Stain Resistance	Class A - Class E	Class A	C1378	

* Whichever is less

PACKAGING

	SIZE	THICKNESS	BOX			PALLET		
			PCS	SQ FT	LBS	BOXES	SQ FT	LBS
Floor Tile	20" x 20"	7/16"	06	16.15	80.00	24	387.60	1920.00
Modular Tile	13" x 13"	6/16"	09	10.74	47.00	56	601.44	2632.00
Modular Tile	6 1/2" x 6 1/2"	6/16"	32	9.38	42.00	51	478.38	2142.00
Mosaic - Square 2" x 2"	13" x 13"	Compatible	10	11.94	39.00			
Bead	1" x 6 1/2"	Compatible	12		2.00			
Beak	1" x 1"	Compatible	04		1.00			
V-Cap	2 1/4" x 6 1/2"	Compatible	80		42.00			
Cove Base**	6" x 8"	Compatible	24		26.00			
Cove Base In Angle**	1" x 6"	Compatible	06		2.00			
Cove Base Out Angle**	1" x 6"	Compatible	06		2.00			
Bullnose (Single Fired)*	3" x 13"	Compatible	50		52.00			
Bullnose (Glazed Porcelain)*	3" x 13"	Compatible	20		23.00			

* Trim is available in all colors and made to complement Modular and Floor Tile.

** Trim is available in all colors and made to complement Modular and Floor Tile. Suggested for interior applications only.



Floor Tile



Wall Tile



Modular Tile



Decorative Tile



Trim Available



Suitable for Outdoors



Substantial Variation



Frost Resistant



Meets ADA Recommendations



Abrasion Resistance



C.O.F. (Wet)



C.O.F. (Dry)



21% Minimum Pre-Consumer Recycled Content



Certified No VOC



Contributes to LEED Credits



RAGNO  USA

RAGNO USA, Inc.

359 Clay Road
Sunnyvale, TX 75182 USA
Telephone: 972.232.3802
Fax: 972.725.3127
Toll Free: 888.297.2466

E-mail: info@ragnousa.com
Web site: www.ragnousa.com

live inspired

