


REVISION



live inspired

COLOR BODY PORCELAIN TILE | RECTIFIED





NATURAL REFINEMENT


Revision is the porcelain tile par excellence. Its very high quality and attention to detail are synonymous with contemporary design. A collection made of new, large formats suitable for interiors matching creatively tradition and modernity. Definite contrasts for those who wish to be daring with style and originality.

The main feature is a simple and informal refinement, never showed off. A fil-rouge running through the whole collection, an exciting path through metropolitan interiors matching successfully strong impact and natural elegance. In the kitchen, the red floor 24" x 24" is the ideal setting of a customized furnishing, consisting of design objects.


NATURAL REFINEMENT

Revision is the porcelain tile par excellence. Its very high quality and attention to detail are synonymous with contemporary design. A collection made of new, large formats suitable for interiors matching creatively tradition and modernity. Definite contrasts for those who wish to be daring with style and originality.

The main feature is a simple and informal refinement, never showed off. A fil-rouge running through the whole collection, an exciting path through metropolitan interiors matching successfully strong impact and natural elegance. In the kitchen, the red floor 24"x24" is the ideal setting of a customized furnishing, consisting of design objects.









SHABBY CHIC

The living room, furnished with recycled pieces, is enhanced by the brown and black striped floor. A warm and welcoming interior, where the understated finishes and the salvaged pieces of furniture produce a shabby chic atmosphere.

The large format 12"x48" of the Revision collection creates a continuous panelling and a uniform look which amplify the space perception. The waxy surface recalls a piece of craftsmanship. The interior design is informal, but nothing is left to chance.

24"x 24" Rectified
12"x 24" Rectified
12"x 48" Rectified



R4P8 Revision B1
12"x48" Rectified



R5P4 Revision B1
Mosaic
12"x24"



R4Q3 Revision B1
12"x24" Rectified



R4P3 Revision B1
24"x24" Rectified

24" x 24" Rectified
12" x 24" Rectified
12" x 48" Rectified



R4P9 Revision BG
12" x 48" Rectified



R5P5 Revision BG
Mosaic
12" x 24"



R4Q4 Revision BG
12" x 24" Rectified



R4P4 Revision BG
24" x 24" Rectified

24" x 24" Rectified
12" x 24" Rectified
12" x 48" Rectified



R4Q0 Revision MA
12" x 48" Rectified



R4Q5 Revision MA
12" x 24" Rectified



R5P6 Revision MA
Mosaic
12" x 24"



R4P5 Revision MA
24" x 24" Rectified

24"x 24" Rectified
12"x 24" Rectified
12"x 48" Rectified



R4Q1 Revision RS
12"x48" Rectified



R5P7 Revision RS
Mosaic
12"x24"



R4Q6 Revision RS
12"x24" Rectified



R4P5 Revision RS
24"x24" Rectified

24"x 24" Rectified
12"x 24" Rectified
12"x 48" Rectified



R4Q2 Revision NE
12"x48" Rectified



R4Q7 Revision NE
12"x24" Rectified



R4P7 Revision NE
24"x24" Rectified



R5P8 Revision NE
Mosaic
12"x24"

24"x 24" Rectified
12"x 24" Rectified
12"x 48" Rectified



R5P1 Nest BI
Insert
12"x48"



R5P2 Nest MA
Insert
12"x48"



R5P3 Nest NE
Insert
12"x48"

TRIMS




R4W8 Revision BI Bullnose
R4W9 Revision BG Bullnose
R4X1 Revision R5 Bullnose
R4X0 Revision MA Bullnose
R4X2 Revision NE Bullnose
4"x24"

SHADE VARIATIONS

The color and shade of all tiles vary to some degree. This variance can be from piece to piece and can also occur from production run to production run.

American National Standard Specifications for Ceramic Tile (ANSI) has implemented a guide that rates ceramic tile on a five-point scale and ranges from V0 through V4.

Instituting the ANSI's color shade variation guidelines you will reduce customer complaints and sell the unique and individual beauty of each ceramic tile.



V0 Very Uniform Appearance

Pieces of the same shade value are very uniform and smooth in texture.

V1 Uniform Appearance

Differences among pieces from the same production run are minimal.

V2 Slight Variation

Clearly Distinguishable differences in texture and/or pattern within similar colors.

V3 Moderate Variation

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

V4 Substantial Variation

Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or texture from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

SHADE VARIATION AND APPLICATIONS

V1	Residential	Commercial	Industrial
 UNIFORM APPEARANCE	Floor	•	
	Wall	•	•
	Countertop	•	•
	Pool	•	•

Water, oil, grease, or other fluids create slippery conditions. Floors with exposure to these conditions require extra caution in product selection and proper maintenance.

CARE & MAINTENANCE

Revision is a stain-resistant porcelain tile. Routine maintenance will keep your tile looking new for years to come.

Ragno USA's products are typically easy to install and maintain using the following general guidelines:

- Choose tile from same dye lot and caliber whenever possible
- Select tile alternately from several boxes and rotate when installing
- Follow industry-accepted installation practices as detailed by Tile Council of America "Handbook for Ceramic Tile Installation" or those recommended by the Ceramic Tile Institute of America
- Remove all grout residue promptly after application; neither acid cleaning nor sealing is recommended
- Clean regularly with clear water and/or a neutral (soapless) cleaner, wipe dry to lessen slippery conditions

TECHNICAL SPECIFICATIONS

DESCRIPTION	ANSI STANDARD	RESULT	ASTM TEST METHOD	
Water Absorption	≤ 0.50%	≤ 0.50%	C373	
Frost Resistance	As Reported	Resistant	C1026	
Scratch Resistance	MOHS 1-10	6	MOHS SCALE	
Breaking Strength	12" x 24"	≥ 250 lbf.	≥ 955 lbf.	C648
	12" x 48"	≥ 250 lbf.	≥ 1450 lbf.	C648
	24" x 24"	≥ 250 lbf.	≥ 995 lbf.	C648
Facial Dimension	-3.0 % ≤ Nominal ≤ 2.0 %	Within Standard	C499	
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499	
Wedging (Squareness)	+/- 0.25 % or +/- 0.8 mm*	Within Standard	C502	
Warpage Edge (Flatness)	+/- 0.40 % or +/- 1.3 mm*	Within Standard	C485	
Class (PEI)	Class 0 - Class V	Class III	C1027	
C.O.F. (Wet)	As Reported	0.30 ≤ COF < 0.40	C1028	
C.O.F. (Dry)	As Reported	0.60 ≤ COF < 0.70	C1028	
Chemical Resistance	Class A - Class E	Class A	C650	
Stain Resistance	Class A - Class E	Class A	C1378	

* Whichever is less

PACKAGING

	SIZE	THICKNESS	BOX			PALLET		
			PCS	SQ FT	LBS	BOXES	SQ FT	
Modular Tile	12"x24"R	7/16"	05	9.69	55.00	40	387.60	2200.00
Modular Tile	12"x48"R	7/16"	03	11.63	59.00	20	232.60	1180.00
Modular Tile	24"x24"R	7/16"	04	15.50	82.00	30	465.00	2460.00
Mosaic	12"x24"R	Compatible	04		38.00			
Net Insert	12" x 48"R	Compatible	02		41.00			
Bullnose*	4" x 24"R	Compatible	13		39.00			

* Trim is available in all colors and made to complement Modular Tile.



Floor Tile



Wall Tile



Modular Tile



Rectified Tile



Decorative Tile



Trim Available



Uniform Appearance



Frost Resistant



Abrasion Resistance



C.O.F. (Wet)



C.O.F. (Dry)



Certified No VOC



Contributes to
LEED Credits



RAGNO  USA

RAGNO USA, Inc.

359 Clay Road
Sunnyvale, TX 75182 USA
Telephone: 972.232.3802
Fax: 972.725.3127
Toll Free: 888.297.2466

E-mail: info@ragnousa.com
Web site: www.ragnousa.com

live inspired

