



ARKITESSUTO
COLOR BODY PORCELAIN STONEWARE
RECTIFIED









Transforming Walls

Arkitesuto's magic lies in the introduction of a subtle pattern, which forms the background for decorative tiles. The coarse and concrete material of colored body porcelain stoneware is muted by an aesthetic softness bordering on the tactile. Onde, a wavy pattern decorative tile created using water jet engraving and subsequent filling with colored resin, is an endlessly echoing play with gentle lines.



Geometrical Contrasts








Fresh Inspiration

Succession of simple geometric designs playing with the thickness of porcelain stoneware, when composed in modular solutions can create a cover for entire walls. Designing spaces, defining architectural surroundings, suggesting new interpretations and design ideas: Arkitessuto.





Geometrical Contrasts





Soft Combinations







A look filched from fashion

Ricamo is a soft deco which conjures floral embroidery work stitched by the inexpert fingers of a child. In combination with the Onde deco, it offers a striking combination for a highly contemporary look.





3-D Effects

The Ellissi deco and Tre listelli introduce the physicality of 3D in wall tiling, thanks to the installation of materials on different levels.

The result: a sophisticated, new graphic effect that imbues areas with real character.







Graphic Colors

A fascinating material, enhanced by essential decorations proposed in contrasting shades using background colors, offers graphic solutions that play with a succession of "positive and negative" effects for a new concept of style - free and emotional - that blends with the harmony of interiors and objects in a seductive melange.

Material Emotions



Toying with the soft enamels and refinement of surfaces traced with subtle patterns creating a new concept in wall tile.

The project enhances the aesthetic and formal characteristics of a new material, embracing free juxtaposition that creates decorative effects over entire walls.






24"x24"
12"x24"
6"x24"
12"x12"




24"x24"

R0K1 Arki BI*
R0Q7 Arki BI




24"x24"

R0K0 Arki BG*
R0Q6 Arki BG



12"x24"

R0S3 Arki BI



12"x24"

R0S2 Arki BG




6"x24"

R0T7 Arki BI




6"x24"

R0T6 Arki BG



12"x12"

R0T0 Arki BI






12"x12"


R0S9 Arki BG

* Natural


24"x24"
12"x24"
6"x24"
12"x12"



R0J9 Arki MA*
R0Q5 Arki MA



R0K3 Arki GR.CH.*
R0Q9 Arki GR.CH.



R0S1 Arki MA




R0S5 Arki GR.CH.




R0T5 Arki MA



R0T9 Arki GR.CH.





R0S8 Arki MA




R0T2 Arki GR.CH.

24"x24"
12"x24"
6"x24"
12"x12"




24"x24"

R0K4 Arki GR*
R0R0 Arki GR



24"x24"

R0K2 Arki NE*
R0Q8 Arki NE



12"x24"

R0S6 Arki GR



12"x24"

R0S4 Arki NE




6"x24"

R0U0 Arki GR




6"x24"

R0T8 Arki NE



12"x12"

R0T3 Arki GR




12"x12"

R0T1 Arki NE

* Natural

24"x24"
12"x24"
6"x24"
12"x12"



R0X0 Onda BG
Deco
12"x24"




R0W9 Onda MA
Deco
12"x24"



R0X1 Onda GR CH.
Deco
12"x24"




R0X2 Onda PL
Deco
12"x24"



24"x24"

R0K5 Arki PL*
R0R1 Arki PL




12"x24"

R0S7 Arki PL



6"x24"

R0U1 Arki PL



12"x12"

R0T4 Arki PL

ARKITESSUTO
COLOR BODY PORCELAIN STONEWARE

24"x24"
12"x24"
6"x24"
12"x12"



R0X0 Onda BG
Deco
12"x24"



R0X5 Ricamo MA
Deco
24"x24"

24"x24"
12"x24"
6"x24"
12"x12"



R0X3 Ricamo GR
Deco
24"x24"

R0X4 Ricamo PL
Deco
24"x24"

ARKITESSUTO
COLOR BODY PORCELAIN STONEWARE

24"x24"
12"x24"
6"x24"
12"x12"



ROR7 Arki BI
Deco
12"x24"



ROR8 Arki BG
Deco
12"x24"



R0S0 Arki GR
Deco
12"x24"



ROR9 Arki NE
Deco
12"x24"

24"x24"
 12"x24"
 6"x24"
 12"x12"



R0R6 Disko AR
 Insert
 6"x6"



R0R5 Disko VE
 Insert
 6"x6"



R0R2 Disko NE
 Insert
 6"x6"



R0R3 Disko AL
 Insert
 6"x6"



R0R4 Disko BR
 Insert
 6"x6"



R0X8 Tre MA
 Listelli
 1 1/4"x24"



R0X9 Tre BG
 Listelli
 1 1/4"x24"



R0X7 Tre NE
 Listelli
 1 1/4"x24"



R0W1 Ellissi NE
 Listelli
 6"x24"



R0W2 Ellissi AL
 Listelli
 6"x24"



R0W3 Ellissi BR
 Listelli
 6"x24"



R0V6 Arki BI Pencil Liner
 R0V5 Arki BG Pencil Liner
 R0V4 Arki MA Pencil Liner
 R0V8 Arki GR CH. Pencil Liner
 R0V9 Arki GR Pencil Liner
 R0V7 Arki NE Pencil Liner
 R0W0 Arki PL Pencil Liner
 1/2"x12"

TRIMS



R0V0 Arki BI Bullnose
 R0U9 Arki BG Bullnose
 R0U8 Arki MA Bullnose
 R0V2 Arki GR CH. Bullnose
 R0V3 Arki GR Bullnose
 R0V1 Arki NE Bullnose
 4"x12"



R0U4 Arki BI Stairtread
 R0U3 Arki BG Stairtread
 R0U2 Arki MA Stairtread
 R0U6 Arki GR CH. Stairtread
 R0U7 Arki GR Stairtread
 R0U5 Arki NE Stairtread
 12"x12"


After installation, be sure that no traces of cement or adhesive are left on the tile surface.

Shade variations

The color and shade of all tiles vary to some degree. This variance can be from piece to piece and can also occur from production run to production run.

American National Standard Specifications for Ceramic Tile (ANSI) has implemented a guide that rates ceramic tile on a five-point scale and ranges from V0 through V4.

Instituting the ANSI's color shade variation guidelines you will reduce customer complaints and sell the unique and individual beauty of each ceramic tile.



V0 Very Uniform Appearance

Pieces of the same shade value are very uniform and smooth in texture.

V1 Uniform Appearance

Differences among pieces from the same production run are minimal.

V2 Slight Variation

Clearly Distinguishable differences in texture and/ or pattern within similar colors.


V3 Moderate Variation

While the colors and or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

V4 Substantial Variation

Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or texture from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

SHADE VARIATION AND APPLICATIONS

V1		Residential	Commercial	Industrial
 <p>UNIFORM APPEARANCE</p>	Floor	•	•	
	Wall	•	•	•
	Countertop	•	•	•
	Pool	•	•	•

Water, oil, grease, or other fluids create slippery conditions. Floors with exposure to these conditions require extra caution in product selection and proper maintenance.

Care & Maintenance

Arkitesuto is a stain-resistant porcelain tile. Routine maintenance will keep your tile looking new for years to come.

Ragno USA's products are typically easy to install and maintain using the following general guidelines:

- Choose tile from same dye lot and caliber whenever possible
- Select tile alternately from several boxes and rotate when installing
- Follow industry-accepted installation practices as detailed by Tile Council of America "Handbook for Ceramic Tile Installation" or those recommended by the Ceramic Tile Institute of America
- Remove all grout residue promptly after application; neither acid cleaning nor sealing is recommended
- Clean regularly with clear water and/or a neutral (soapless) cleaner, wipe dry to lessen slippery conditions

TECHNICAL SPECIFICATIONS*			
DESCRIPTION			
Water Absorption	≤ 0.50%	≤ 0.50%	C373
Frost Resistance	As Reported	Resistant	C1026
Scratch Resistance	MOHS 1-10	8	MOHS SCALE
Breaking Strength	24"x24"	≥ 250 lbf.	≥ 1000 lbf.
	12"x24"	≥ 250 lbf.	≥ 1385 lbf.
	12"x12"	≥ 250 lbf.	≥ 800 lbf.
Facial Dimension	-3.0 % < Nominal < 2.0 %	Within Standard	C499
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499
Wedging (Squareness)	+/- 0.25 % or +/- 0.8 mm**	Within Standard	C502
Warpage (Flatness)	+/- 0.40 % or +/- 1.8 mm**	Within Standard	C485
Abrasion Resistance	Class 0 - Class V	Class IV	C1027
C.O.F. (Wet)	As Reported	0.60 ≤ COF < 0.70	C1028
C.O.F. (Dry)	As Reported	0.60 ≤ COF < 0.70	C1028
Chemical Resistance	Class A - Class E	Class A	C650
Stain Resistance	Class A - Class E	Class A	C1378

* Arkitesuto Rectified Material Only
 ** Whichever is less

PACKAGING								
	SIZE	THICKNESS	BOX			PALLET		
			PCS	SQ FT	LBS	BOXES	SQ FT	LBS
Floor Tile	24"x24"	7/16"	04	15.50	82.00	30	465.00	2460.00
Floor Tile	24"x24"*	7/16"	04	15.50	82.00	30	465.00	2460.00
Floor Tile	12"x24"	7/16"	05	9.69	51.00	40	387.60	2040.00
Floor Tile	6"x24"	7/16"	08	7.75	43.00	64	496.00	2752.00
Floor Tile	12"x12"	7/16"	11	10.66	59.00	40	426.40	2360.00
Ricamo Deco	24"x24"	Compatible	02		42.00			
Onda Deco	12"x24"	Compatible	04		43.00			
Arki Deco	12"x24"	Compatible	04		43.00			
Disko Insert	6"x6"	Compatible	06		2.00			
Tre Listelli	1 1/4"x24"	Compatible	06		7.00			
Ellissi Listelli	6"x24"	Compatible	06		4.00			
Pencil Liner	1/2"x12"	Compatible	06		3.00			
Stairtread	12"x12"	Compatible	11		59.00			
Bullnose	4"x12"	Compatible	25		43.00			

* Natural



Floor Tile



Wall Tile



Abrasion Resistance



C.O.F. (Wet)



C.O.F. (Dry)



Rectified Tile



Modular Tile



Decorative Tile



Uniform Variation




Trim Available



Frost Resistant



Meets ADA Recommendations



RAGNO  USA

Ragno USA, Inc.

Telephone:
(972) 232 3802
Fax:
(972) 725 3127
Toll Free:
888 297 2466

359 Clay Road
Sunnyvale, TX 75182
USA

Web site:
www.ragnousa.com
E-mail:
info@ragnousa.com