



ARTE
COLOR BODY PORCELAIN STONEWARE
RECTIFIED





A contemporary project, inspired by nature, re-designed by technology and creativity

Arte collection combines the intrinsic creativity of nature with the expressive potential offered by technology. The result is a strong and modular color body porcelain stoneware with extraordinary aesthetic features, that out-performs real stone.

Inspired by colors and textures found in petrified wood, Arte retains all of its beauty, warmth and appeal coming with different colors, sizes and patterns to design flexible and contemporary living spaces.









A pure and elegant understatement with an environmental allure

Motifs taken from nature become soft and sophisticated marks that alternate with textured, gently animated surfaces in an elegant interplay of chromatic nuances and rectified sizes in order to optimise the various installation layouts. The recovery of primitive and tactile shapes and instances give life to flooring and wall covering solutions of matchless refinement. A new aesthetic approach captures all the freshness of an outdoor setting with a modern twist, to give new vitality to your own home.

ARTE

COLOR BODY PORCELAIN STONEWARE | RECTIFIED

R Rectified Tile

19⁹/₁₆" x 19⁹/₁₆"

12¹⁵/₁₆" x 12¹⁵/₁₆"

11¹¹/₁₆" x 23⁷/₁₆"

3³/₁₆" x 6⁷/₁₆"




AJ3P Arte BI
19⁹/₁₆" x 19⁹/₁₆"



AJ3L Arte BI
12¹⁵/₁₆" x 12¹⁵/₁₆"



AJ3N Arte BG
19⁹/₁₆" x 19⁹/₁₆"



AJ3K Arte BG
12¹⁵/₁₆" x 12¹⁵/₁₆"



AJ3S Arte BI
11¹¹/₁₆" x 23⁷/₁₆"



AJ3V Arte BI
3³/₁₆" x 6⁷/₁₆"



AJ3R Arte BG
11¹¹/₁₆" x 23⁷/₁₆"



AJ3U Arte BG
3³/₁₆" x 6⁷/₁₆"



AJ3Y Arte BI
Brick Mosaic
12¹⁵/₁₆" x 12¹⁵/₁₆"



AJ3X Arte BG
Brick Mosaic
12¹⁵/₁₆" x 12¹⁵/₁₆"

R Rectified Tile

ARTE
COLOR BODY PORCELAIN STONEWARE | RECTIFIED

19^{9/16}" x 19^{9/16}"
12^{15/16}" x 12^{15/16}"
11^{11/16}" x 23^{7/16}"
3^{3/16}" x 6^{7/16}"



AJ3Q Arte MA
19^{9/16}" x 19^{9/16}"



AJ3M Arte MA
12^{15/16}" x 12^{15/16}"



AJ3T Arte MA
11^{11/16}" x 23^{7/16}"



AJ3W Arte MA
3^{3/16}" x 6^{7/16}"



AJ3Z Arte MA
Brick Mosaic
12^{15/16}" x 12^{15/16}"

TRIMS



AJ33 Arte BI Bullnose
AJ32 Arte BG Bullnose
AJ34 Arte MA Bullnose
3" x 13"



AK55 Arte BI Cove Base
AK54 Arte BG Cove Base
AK56 Arte MA Cove Base
6" x 8"



AK58 Arte BI Cove Base In Angle
AK57 Arte BG Cove Base In Angle
AK59 Arte MA Cove Base In Angle
1" x 6"




AK63 Arte BI Cove Base Out Angle
AK62 Arte BG Cove Base Out Angle
AK64 Arte MA Cove Base Out Angle
1" x 6"

Shade variations

The color and shade of all tiles vary to some degree. This variance can be from piece to piece and can also occur from production run to production run.

American National Standard Specifications for Ceramic Tile (ANSI) has implemented a guide that rates ceramic tile on a five-point scale and ranges from V0 through V4.

Instituting the ANSI’s color shade variation guidelines you will reduce customer complaints and sell the unique and individual beauty of each ceramic tile.



V0 Very Uniform Appearance

Pieces of the same shade value are very uniform and smooth in texture.

V1 Uniform Appearance

Differences among pieces from the same production run are minimal.

V2 Slight Variation


Clearly Distinguishable differences in texture and/ or pattern within similar colors.

V3 Moderate Variation

While the colors and or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

V4 Substantial Variation

Random color and/or texture differences from tile to tile, so that one tile may have totally different colors and/or texture from that on other tiles. Thus, the final installation will be unique. It is recommended that the range be viewed before selection.

SHADE VARIATION AND APPLICATIONS				
V3		Residential	Commercial	Industrial
 <p>MODERATE VARIATION</p>	Floor	•	•	
	Wall	•	•	•
	Countertop	•	•	•
	Pool	•	•	•

Water, oil, grease, or other fluids create slippery conditions. Floors with exposure to these conditions require extra caution in product selection and proper maintenance.

Care & Maintenance

Arte is a stain-resistant porcelain tile. Routine maintenance will keep your tile looking new for years to come.

Ragno USA’s products are typically easy to install and maintain using the following general guidelines:

- Choose tile from same dye lot and caliber whenever possible
- Select tile alternately from several boxes and rotate when installing
- Follow industry-accepted installation practices as detailed by Tile Council of America “Handbook for Ceramic Tile Installation” or those recommended by the Ceramic Tile Institute of America
- Remove all grout residue promptly after application; neither acid cleaning nor sealing is recommended
- Clean regularly with clear water and/or a neutral (soapless) cleaner, wipe dry to lessen slippery conditions

TECHNICAL SPECIFICATIONS

DESCRIPTION	ANSI STANDARD	RESULT	ASTM TEST METHOD	
Water Absorption	≤ 0.50%	≤ 0.50%	C373	
Frost Resistance	As Reported	Resistant	C1026	
Scratch Resistance	MOHS 1-10	6	MOHS SCALE	
Breaking Strength	20"x20"	≥ 250 lbf.	≥ 605 lbf.	C648
	13"x13"	≥ 250 lbf.	≥ 407 lbf.	C648
Facial Dimension	-3.0 % < Nominal < 2.0 %	Within Standard	C499	
Thickness	≤ 0.04 in (1.02 mm max)	Within Standard	C499	
Wedging (Squareness)	+/- 0.25 % or +/- 0.8 mm*	Within Standard	C502	
Warpage (Flatness)	+/- 0.40 % or +/- 1.8 mm*	Within Standard	C485	
Abrasion Resistance	Class 0 - Class V	Class IV	C1027	
C.O.F. (Wet)	As Reported	0.60 ≤ COF < 0.70	C1028	
C.O.F. (Dry)	As Reported	0.70 ≤ COF < 0.80	C1028	
Chemical Resistance	Class A - Class E	Class A	C650	
Stain Resistance	Class A - Class E	Class A	C1378	

* Whichever is less

PACKAGING

	SIZE	THICKNESS	BOX			PALLET		
			PCS	SQ FT	LBS	BOXES	SQ FT	LBS
Field Tile	19 ⁹ / ₁₆ "x19 ⁹ / ₁₆ "	7/16"	06	15.96	84.00	24	383.04	2016.00
Field Tile	12 ¹⁵ / ₁₆ "x12 ¹⁵ / ₁₆ "	5/16"	13	15.11	58.00	44	664.84	2552.00
Field Tile	11 ¹¹ / ₁₆ "x23 ⁷ / ₁₆ "	7/16"	05	9.51	55.00	40	380.40	2200.00
Field Tile	3 ³ / ₁₆ "x6 ⁷ / ₁₆ "	5/16"	72	10.22	42.00	51	521.22	2142.00
Mosaic Brick	12 ¹⁵ / ₁₆ "x12 ¹⁵ / ₁₆ "	Compatible	10		36.00			
Cove Base	6"x8"	Compatible	24		26.00			
Cove Base In Angle	1"x6"	Compatible	6		2.00			
Cover Base Out Angle	1"x6"	Compatible	6		2.00			
Bullnose	3"x13"	Compatible	20		21.00			



Field Tile



Wall Tile



Rectified Tile



Decorative Tile



Trim Available



Suitable for Outdoors



Moderate Variation



Frost Resistant



Meets ADA Recommendations



Abrasion Resistance



C.O.F. (Wet)



C.O.F. (Dry)



21% Minimum Pre-Consumer Recycled Content



Certified No VOC



Contributes to LEED Credits



RAGNO USA

Ragno USA, Inc.

Telephone:
(972) 232 3802
Fax:
(972) 725 3127
Toll Free:
888 297 2466

359 Clay Road
Sunnyvale, TX 75182
USA

Web site:
www.ragnousa.com
E-mail:
info@ragnousa.com