

SMART FLOOR

Woodessence
Collection





R4ME Woodessence Brown 10x70cm - R4VA Frame Cream Mosaico 30x30cm - R4YA Frame Cream 25x76cm

Woodessence

For those in search of a wood-look stoneware floor covering, Ragno Woodessence is an excellent solution. The size 10x70 Woodessence tiles are inspired by two different timbers, Oak in Beige, Grey and Brown colours and Walnut, ideal for the residential and contract markets.



R4ME Woodessence Brown 10x70cm - RD9Z Brick Glossy Beige 10x30cm



R4MF Woodessence Honey 10x70cm



R4MF Woodessence Honey 10x70cm



R4MC Woodessence Beige 10x70cm



R4ME Woodessence Brown 10x70cm - RD9Z Brick Glossy Beige 10x30cm



R4MF Woodessence Honey 10x70cm



R4MF Woodessence Honey 10x70cm




R4MC Woodessence Beige 10x70cm

Porcelain Stoneware



Beige

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|---------|------------|------|-------------------|----------|-------|--------------------------|-----|----|-----|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 10x70cm | Natural | R4MC | Woodessence Beige | MM 08 | | | | R9 | | Class 1 | | | >= 0.42 | H | | | 17 | 1,19 | 20,72 | 48 | 57,12 | 994,78 |



Brown

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|---------|------------|------|-------------------|----------|-------|--------------------------|-----|----|-----|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 10x70cm | Natural | R4ME | Woodessence Brown | MM 08 | | | | R9 | | Class 1 | | | >= 0.42 | H | | | 17 | 1,19 | 20,67 | 48 | 57,12 | 992,01 |



Grey


| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|---------|------------|------|------------------|----------|-------|--------------------------|-----|----|-----|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 10x70cm | Natural | R4MD | Woodessence Grey | MM 08 | | | | R9 | | Class 1 | | | >= 0.42 | H | | | 17 | 1,19 | 19,72 | 48 | 57,12 | 946,64 |

Porcelain Stoneware



Honey



| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|---------|------------|------|-------------------|----------|-------|--------------------------|-----|----|-----|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 10x70cm | Natural | R4MF | Woodessence Honey | MM 08 | | | | R9 | | Class 1 | | | >= 0.42 | H | | | 17 | 1,19 | 20,71 | 48 | 57,12 | 994,08 |



Walnut

| Size | Superficie | Code | Description | Thikness | Rett. | Caratteristiche tecniche | Use | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq | Kg | Pallet | Mq | Kg |
|---------|------------|------|--------------------|----------|-------|--------------------------|-----|----|-----|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|--------|
| 10x70cm | Natural | R4MG | Woodessence Walnut | MM 08 | | | | R9 | | Class 1 | | | >= 0.42 | G | | | 17 | 1,19 | 20,56 | 48 | 57,12 | 987,04 |

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run





















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

| | | | | | | | |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| ISO 14001 | ISO 50001 | ISO 45001 | ISO 9001 | Green Building Council | GPP | EPD Italy | ISO 17889-1 |
|  |  |  |  |  |  |  |  |
| Greenguard | LEED Credits | FDES | Declare | HPD | CCC | CAM Fiorano | CE 001MRZI |
|  |  |  |  | | | | |
| CE 009MRZI | UKCA 00 1MRZUK | UKCA 00 9MRZUK | SASO | | | | |

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

RAGNO 