




STONE EFFECT

Realstone_Slate Collection





R5ZJ Slate Musk Rt 60x60cm - R6YV Slate Musk Str Rt 30x60cm

Realstone_Slate

Surfaces that express the essence of nature. Ragno interprets the material strength of slate, generating a unique porcelain stoneware surface: Realstone Slate. The collection, which is the result of extensive research into colours and material, comes in 5 nuances that maintain a sober, sophisticated relationship with the space, without sacrificing the richness of shades and graphic details.




R5ZD Slate Musk Rt 75x75cm



R5ZE Slate Black Rt 75x75cm - R6GM Slate Black Mosaico Freccia 37x41cm



R5YQ Slate Shell Rt 75x150cm



R5YR Slate Iron Rt 75x150cm - R5ZC Slate Iron Rt 75x75cm - R6GG Slate Iron Mosaico Freccia 37x41cm



R5YT Slate Black Rt 75x150cm



R5YS Slate Musk Rt 75x150cm



R5YP Slate Ice Rt 75x150cm - R5ZE Slate Black Rt 75x75cm



R614 Slate Iron Str 75x75cm



R5ZA Slate Shell Rt 75x75cm



R5YP Slate Ice Rt 75x150cm

Colorbody Fine Porcelain Stoneware



Black


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x150cm	Natural	R5YT	Slate Black Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	2,25	44,79	21	47,25	940,49
75x75cm	Natural	R5ZE	Slate Black Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,78	42	47,25	914,63
75x75cm	Structured Surface	R618	Slate Black Str	MM 9,5	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,86	42	47,25	918,19
60x60cm	Natural	R5ZK	Slate Black Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			3	1,08	23,22	40	43,20	928,83
30x60cm	Natural	R6YW	Slate Black Str Rt	MM 10	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,16	48	51,84	1.111,73
30x60cm	Natural	R5ZQ	Slate Black Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,15	48	51,84	1.111,02



Ice


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x150cm	Natural	R5YP	Slate Ice Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	2,25	46,03	21	47,25	966,65
75x75cm	Natural	R5YZ	Slate Ice Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,65	42	47,25	909,35
75x75cm	Structured Surface	R612	Slate Ice Str	MM 9,5	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			2	1,13	22,33	42	47,25	938,06
60x60cm	Natural	R5ZF	Slate Ice Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			3	1,08	23,31	40	43,20	932,24
30x60cm	Natural	R6YS	Slate Ice Str Rt	MM 10	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			6	1,08	22,25	48	51,84	1.068,21
30x60cm	Natural	R5ZL	Slate Ice Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,24	48	51,84	1.115,32

Colorbody Fine Porcelain Stoneware



Iron

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x150cm	Natural	R5YR	Slate Iron Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	2,25	47,44	21	47,25	996,20
75x75cm	Natural	R5ZC	Slate Iron Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	1,13	22,34	42	47,25	938,43
75x75cm	Structured Surface	R614	Slate Iron Str	MM 9,5	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,99	42	47,25	923,75
60x60cm	Natural	R5ZH	Slate Iron Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			3	1,08	23,23	40	43,20	929,23
30x60cm	Natural	R6YU	Slate Iron Str Rt	MM 10	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,10	48	51,84	1.108,88
30x60cm	Natural	R5ZN	Slate Iron Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,04	48	51,84	1.106,04



Musk


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x150cm	Natural	R5YS	Slate Musk Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	2,25	45,84	21	47,25	962,71
75x75cm	Natural	R5ZD	Slate Musk Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,93	42	47,25	921,23
75x75cm	Structured Surface	R615	Slate Musk Str	MM 9,5	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			2	1,13	21,84	42	47,25	917,48
60x60cm	Natural	R5ZJ	Slate Musk Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			3	1,08	23,29	40	43,20	931,44
30x60cm	Natural	R6YV	Slate Musk Str Rt	MM 10	•			R11C	> 0.40	Class 2	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,30	48	51,84	1.118,45
30x60cm	Natural	R5ZP	Slate Musk Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96	>= 0.42	H	V2			6	1,08	23,29	48	51,84	1.117,72

Colorbody Fine Porcelain Stoneware



Shell

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
75x150cm	Natural	R5YQ	Slate Shell Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2		2	2,25	45,24	21	47,25	949,94
75x75cm	Natural	R5ZA	Slate Shell Rt	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2		2	1,13	22,02	42	47,25	924,84
75x75cm	Structured Surface	R613	Slate Shell Str	MM 9,5	•			R11C	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2		2	1,13	22,09	42	47,25	927,74
60x60cm	Natural	R5ZG	Slate Shell Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2		3	1,08	23,04	40	43,20	921,70
30x60cm	Natural	R6YT	Slate Shell Str Rt	MM 10	•			R11C	> 0.40	Class 2	36+ Slider 96		>= 0.42	H	V2		6	1,08	23,25	48	51,84	1.116,04
30x60cm	Natural	R5ZM	Slate Shell Rt	MM 10	•			R10	> 0.40	Class 1	36+ Slider 96		>= 0.42	H	V2		6	1,08	23,22	48	51,84	1.114,60



Mosaico 5x5 Black

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R6GZ	Slate Black Mosaico Tessera 5x5	MM 10	•										V2		4	0,36	8,00	60	21,60	480,00



Mosaico Freccia Black

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
37x41cm	Natural	R6GM	Slate Black Mosaico Freccia	MM 10	•										V2		4	0,52	10,69	52	26,94	556,00

Colorbody Fine Porcelain Stoneware




Mosaico 5x5 Ice

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R6GQ	Slate Ice Mosaico Tessera 5x5	MM 10	•										V2		4	0,36	8,00	60	21,60	480,00



Mosaico Freccia Ice

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
37x41cm	Natural	R6GC	Slate Ice Mosaico Freccia	MM 10	•										V2		4	0,52	15,00	52	26,94	779,99




Mosaico 5x5 Iron

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R6GV	Slate Iron Mosaico Tessera 5x5	MM 10	•										V2		4	0,36	8,00	60	21,60	480,00



Mosaico Freccia Iron

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
37x41cm	Natural	R6GG	Slate Iron Mosaico Freccia	MM 10	•										V2		4	0,52	10,69	52	26,94	556,00



Mosaico 5x5 Musk

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R6GX	Slate Musk Mosaico Tessera 5x5	MM 10	•										V2		4	0,36	8,00	60	21,60	480,00



Mosaico Freccia Musk

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
37x41cm	Natural	R6GK	Slate Musk Mosaico Freccia	MM 10	•										V2		4	0,52	15,00	52	26,94	779,99



Mosaico 5x5 Shell



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Natural	R6GS	Slate Shell Mosaico Tessera 5x5	MM 10	•										V2		4	0,36	8,00	60	21,60	480,00



Mosaico Freccia Shell

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
37x41cm	Natural	R6GE	Slate Shell Mosaico Freccia	MM 10	•										V2		4	0,52	10,69	52	26,94	556,00

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Recycled Material	Greenguard	LEED Credits	QBUPEC	QBUPEC D+	FDES	Declare	HPD
							
CAM Sassuolo	CCC	CAM Fiorano	CE 001MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 9MRZUK	SASO



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

RAGNO 