



MARBLE EFFECT

# Imperiale Collection






R6ZU Tempera Blu Rt 30x90cm - R709 Tempera Blu Struttura Shanghai 30x90cm - R739 Imperiale Venato Rt 60x60cm - R75Y Imperiale Listello Titanio 1x90cm

## Imperiale


Imperiale is a collection of marble-look porcelain stoneware comprising 8 refined stone types for floor coverings, in 4 rectified sizes and two surfaces, and 6 gloss finish slimline thickness ceramic wall coverings in the 30x90 cm size. Three-dimensional structures, decors and mosaics colour-matched with the plain tiles enhance a collection of surfaces with timeless elegance.



R5QR Woodstory Bianco 15x90cm - R6ZN Tempera Fango Rt 30x90cm - R6ZP Tempera Crema Rt 30x90cm - R75Y Imperiale Listello Titanio 1x90cm




R6ZU Tempera Blu Rt 30x90cm - R709 Tempera Blu Struttura Shanghai 30x90cm - R739 Imperiale Venato Rt 60x60cm - R75Y Imperiale Listello Titanio 1x90cm




R74F Imperiale Calacatta Rt 30x90cm - R76T Woodclass Walnut Rt 14x90cm



R6ZT Tempera Verde Rt 30x90cm - R74D Imperiale Bianco Rt 30x90cm




R72M Imperiale Crema Glossy Rt 58x116cm - R74S Imperiale Str Shanghai Crema 30x90cm



R74G Imperiale Avorio Rt 30x90cm - R759 Imperiale Str Gemma Avorio 30x90cm - R75Y Imperiale Listello Titanio 1x90cm




R75T Imperiale Decoro Merletto Bianco 30x90cm



R72G Imperiale Statuarietto Glossy Rt 58x116cm - R74N Imperiale Str Shangai Statuarietto 30x90cm



R738 Imperiale Bianco Rt 60x60cm



R73E Imperiale Travertino Rt 60x60cm



R731 Imperiale Travertino Glossy Rt 58x58cm - R74H Imperiale Travertino Rt 30x90cm - R74R Imperiale Str Shanghai Travertino 30x90cm - R75P Imperiale Mosaico Travertino 30x30cm



R755 Imperiale Str Gemma Bianco 30x90cm



R74E Imperiale Statuarietto Rt 30x90cm



R732 Imperiale Travertino Grigio Glossy Rt 58x58cm



R734 Imperiale Crema Glossy Rt 58x58cm - R74K Imperiale Crema Rt 30x90cm - R759 Imperiale Str Gemma Avorio 30x90cm - R75Y Imperiale Listello Titanio 1x90cm

Porcelain Stoneware · White Body Wall Tiles




**Avorio**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74G	Imperiale Avorio Rt	MM 10	•										V1		5	1,35	22,20	40	54,00	888,16
58x116cm	Glossy	R72J	Imperiale Avorio Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	28,91	36	48,44	1.040,64
60x120cm	Natural	R72S	Imperiale Avorio Rt	MM 9,5	•									H	V2	StepWise	2	1,44	31,11	36	51,84	1.119,90
58x58cm	Glossy	R730	Imperiale Avorio Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,47	40	40,37	858,71
60x60cm	Natural	R73D	Imperiale Avorio Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,00	40	43,20	880,20



**Bianco**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74D	Imperiale Bianco Rt	MM 10	•										V1		5	1,35	22,21	40	54,00	888,60
58x116cm	Glossy	R70Z	Imperiale Bianco Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	29,21	36	48,44	1.051,71
60x120cm	Natural	R72P	Imperiale Bianco Rt	MM 9,5	•									H	V2	StepWise	2	1,44	30,82	36	51,84	1.109,35
58x58cm	Glossy	R72W	Imperiale Bianco Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,40	40	40,37	856,16
60x60cm	Natural	R738	Imperiale Bianco Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,61	40	43,20	904,33



## Calacatta

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74F	Imperiale Calacatta Rt	MM 10	•										V1		5	1,35	22,09	40	54,00	883,80
58x116cm	Glossy	R72H	Imperiale Calacatta Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	28,59	36	48,44	1.029,36
58x58cm	Glossy	R72Z	Imperiale Calacatta Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,22	40	40,37	848,78
60x60cm	Natural	R73C	Imperiale Calacatta Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,50	40	43,20	900,00



## Crema

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74K	Imperiale Crema Rt	MM 10	•										V1		5	1,35	22,23	40	54,00	889,33
58x116cm	Glossy	R72M	Imperiale Crema Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	29,66	36	48,44	1.067,70
60x120cm	Natural	R72U	Imperiale Crema Rt	MM 9,5	•									H	V2	StepWise	2	1,44	30,33	36	51,84	1.091,83
58x58cm	Glossy	R734	Imperiale Crema Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,19	40	40,37	847,53
60x60cm	Natural	R73G	Imperiale Crema Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,91	40	43,20	916,42



## Statuarietto

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74E	Imperiale Statuarietto Rt	MM 10	•										V1		5	1,35	21,76	40	54,00	870,55
58x116cm	Glossy	R72G	Imperiale Statuarietto Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	28,93	36	48,44	1.041,53
60x120cm	Natural	R72R	Imperiale Statuarietto Rt	MM 9,5	•									H	V2	StepWise	2	1,44	30,33	36	51,84	1.092,06
58x58cm	Glossy	R72Y	Imperiale Statuarietto Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,30	40	40,37	852,01
60x60cm	Natural	R73A	Imperiale Statuarietto Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,74	40	43,20	909,67




## Travertino

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74H	Imperiale Travertino Rt	MM 10	•										V1		5	1,35	22,55	40	54,00	902,10
58x116cm	Glossy	R72K	Imperiale Travertino Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	28,30	36	48,44	1.018,97
58x58cm	Glossy	R731	Imperiale Travertino Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,21	40	40,37	848,25
60x60cm	Natural	R73E	Imperiale Travertino Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,79	40	43,20	911,78



## Travertino grigio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
58x116cm	Glossy	R72L	Imperiale Travertino Grigio Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	28,78	36	48,44	1.035,96
60x120cm	Natural	R72T	Imperiale Travertino Grigio Rt	MM 9,5	•									H	V2	StepWise	2	1,44	31,67	36	51,84	1.140,09
58x58cm	Glossy	R732	Imperiale Travertino Grigio Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	21,47	40	40,37	858,89
60x60cm	Natural	R73F	Imperiale Travertino Grigio Rt	MM 9,5	•									H	V2	StepWise	3	1,08	22,50	40	43,20	899,81



## Venato

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
58x116cm	Glossy	R710	Imperiale Venato Glossy Rt	MM 9,5	•									F	V2	StepWise	2	1,35	29,17	36	48,44	1.050,11
60x120cm	Natural	R72Q	Imperiale Venato Rt	MM 9,5	•									H	V2	StepWise	2	1,44	29,98	36	51,84	1.079,33
58x58cm	Glossy	R72X	Imperiale Venato Glossy Rt	MM 9,5	•									F	V2	StepWise	3	1,01	20,37	40	40,37	814,86
60x60cm	Natural	R739	Imperiale Venato Rt	MM 9,5	•									H	V2	StepWise	3	1,08	23,27	40	43,20	930,83



### Shanghai 3D

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R74M	Imperiale Str Shanghai Bianco	MM 10	•										V1		5	1,35	20,46	40	54,00	818,31
30x90cm	Glossy	R74N	Imperiale Str Shanghai Statuarietto	MM 10	•										V1		5	1,35	21,82	40	54,00	872,94
30x90cm	Glossy	R74P	Imperiale Str Shanghai Calacatta	MM 10	•										V1		5	1,35	20,39	40	54,00	815,59
30x90cm	Glossy	R74Q	Imperiale Str Shanghai Avorio	MM 10	•										V1		5	1,35	20,65	40	54,00	825,94
30x90cm	Glossy	R74R	Imperiale Str Shanghai Travertino	MM 10	•										V1		5	1,35	20,88	40	54,00	835,27
30x90cm	Glossy	R74S	Imperiale Str Shanghai Crema	MM 10	•										V1		5	1,35	20,50	40	54,00	820,05



### Gemma 3D

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R755	Imperiale Str Gemma Bianco	MM 10	•										V1		5	1,35	19,46	40	54,00	778,21
30x90cm	Glossy	R757	Imperiale Str Gemma Statuarietto	MM 10	•										V1		5	1,35	19,88	40	54,00	795,29
30x90cm	Glossy	R758	Imperiale Str Gemma Calacatta	MM 10	•										V1		5	1,35	19,83	40	54,00	793,30
30x90cm	Glossy	R759	Imperiale Str Gemma Avorio	MM 10	•										V1		5	1,35	20,06	40	54,00	802,50
30x90cm	Glossy	R75A	Imperiale Str Gemma Travertino	MM 10	•										V1		5	1,35	19,75	40	54,00	789,94
30x90cm	Glossy	R75C	Imperiale Str Gemma Crema	MM 10	•										V1		5	1,35	20,52	40	54,00	820,92




## Tangram

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R75E	Imperiale Decoro Tangram Bianco	MM 10	•										V1		5	1,35	22,73	40	54,00	909,09
30x90cm	Glossy	R75G	Imperiale Decoro Tangram Travertino	MM 10	•										V1		5	1,35	22,73	40	54,00	909,09



## Merletto

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x90cm	Glossy	R75T	Imperiale Decoro Merletto Bianco	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73
30x90cm	Glossy	R75U	Imperiale Decoro Merletto Statuario	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73
30x90cm	Glossy	R75V	Imperiale Decoro Merletto Calacatta	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73
30x90cm	Glossy	R75W	Imperiale Decoro Merletto Crema	MM 10	•										V1		2	0,54	9,09	30	16,20	272,73



## Mosaico 2,3x2,3 Bianco

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75K	Imperiale Mosaico Bianco	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



### Mosaico 2,3x2,3 Avorio

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75N	Imperiale Mosaico Avorio	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00




### Mosaico 2,3x2,3 Calacatta

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75M	Imperiale Mosaico Calacatta	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



### Mosaico 2,3x2,3 Travertino

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75P	Imperiale Mosaico Travertino	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



### Mosaico 2,3x2,3 Crema

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75Q	Imperiale Mosaico Crema	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00



### Mosaico 2,3x2,3 Statuarietto

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
30x30cm	Glossy	R75L	Imperiale Mosaico Statuarietto	MM 10	•										V1		4	0,36	6,40	60	21,60	384,00

Caratteristiche Tecniche

- Frost proof
- Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	EPD Spain
ISO 17889-1	Recycled Material	Greenguard	LEED Credits	QBUPEC	FDES	Declare	HPD
CAM Sassuolo	CAM Fiorano	CCC	CE 001MRZI	CE 005MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 5MRZUK
UKCA 00 9MRZUK	SASO						



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 04/05/2026

**RAGNO** 