


SMART FLOOR

Woodclass
Collection






R76R Woodclass Honey Rt 14x90cm

Woodclass

The Woodclass collection reinterprets traditional oak in 5 warm shades. In the 14.5x90 cm rectified size it is ideal for furnishing solutions that allow plenty of room for customisation, lending residential and commercial locations an intimate and comfortable atmosphere.




R74F Imperiale Calacatta Rt 30x90cm - R76T Woodclass Walnut Rt 14x90cm



R76S Woodclass Cherry Rt 14x90cm



R76S Woodclass Cherry Rt 14x90cm



R76V Woodclass Beige Rt 14x90cm



WOODCLASS COLLECTION

WOODCLASS COLLECTION

R76U Woodclass White Rt 14x90cm

Porcelain Stoneware




Beige

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76V	Woodclass Beige Rt	MM 08	•			R9	> 0.40	Class 1				H			8	1,04	18,59	48	50,11	892,31



Cherry

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76S	Woodclass Cherry Rt	MM 08	•			R9	> 0.40	Class 1				H			8	1,04	18,47	48	50,11	886,62



Honey


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76R	Woodclass Honey Rt	MM 08	•			R9	> 0.40	Class 1				H			8	1,04	19,62	48	50,11	941,78

Porcelain Stoneware



Walnut



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76T	Woodclass Walnut Rt	MM 08	•			R9	> 0.40	Class 1				H			8	1,04	19,05	48	50,11	914,62



White

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
14,5x90cm	Natural	R76U	Woodclass White Rt	MM 08	•			R9	> 0.40	Class 1				H			8	1,04	19,14	48	50,11	918,64

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run


















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1	Greenguard	LEED Credits
							
FDES	Declare	HPD	CAM Sassuolo	CE 001MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 9MRZUK
							
		SASO					

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

RAGNO 