

WALL TILES

**Calce**  
Collection






R00A Boom Sabbia Rt 75x150cm - R02V Calce Nero 7x28cm

## Calce

A brick in vintage style that still has contemporary appeal, in the 7x28 cm size. Calce reproduces the effect and surface of bricks with a "sagramatura" finish, in tasteful, neutral shades. An impeccable covering that gives an attractive character to bathrooms, bedrooms, kitchens and livingrooms. The trim allows a continuous effect to be achieved even when covering corners, for an even more realistic impression.



R02Q Calce Puro 7x28cm - R17J Woodchoice Sugar 11x54cm



R02Q Calce Puro 7x28cm - R054 Jerusalem Noce Str Rt 60x60cm





R02R Calce Panna 7x28cm



R02V Calce Nero 7x28cm - R56E Woodmania Ash 20x120cm



R02Q Calce Puro 7x28cm - R02U Calce Antracite 7x28cm



R02Q Calce Puro 7x28cm - R02U Calce Antracite 7x28cm



R00A Boom Sabbia Rt 75x150cm - R02V Calce Nero 7x28cm







R02U Calce Antracite 7x28cm




R00E Boom Piombo Rt 75x150cm - R02Q Calce Puro 7x28cm

Porcelain Stoneware




**Antracite**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02U	Calce Antracite	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	G	V1		50	0,98	17,71	52	50,96	920,69



**Nero**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02V	Calce Nero	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	F	V1		50	0,98	17,78	52	50,96	924,53



**Nocciola**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02T	Calce Nocciola	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	G	V1		50	0,98	17,77	52	50,96	924,19

Porcelain Stoneware



**Panna**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02R	Calce Panna	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	G	V1		50	0,98	17,91	52	50,96	931,29



**Perla**



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02S	Calce Perla	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	G	V1		50	0,98	17,59	52	50,96	914,74



**Puro**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
7x28cm	Natural	R02Q	Calce Puro	MM 09				R10A	> 0.40	Class 1	36+ Slider 96		>= 0.42	G	V1		50	0,98	17,67	52	50,96	918,86

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run



















**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material


**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Greenguard	LEED Credits	FDES	Declare	HPD	CCC	CAM Fiorano	CE 001MRZI
							
UKCA 00 1MRZUK	SASO						

LEGENDA

CERTIFICAZIONI



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 09/05/2026

**RAGNO** 