

STONE EFFECT

# Realstone\_PietrAntica XT20 Collection





R8DS Realstone\_Pietrantica Xt20 Multicolor Rt Multifformato 60x210cm

## Realstone\_PietrAntica XT20

The collection is also produced in the 20 mm thickness in the rectified 60x120 cm size and in the uneven edge 60x120 cm, 60x60 cm and 30x60 cm sizes, in all colours. All extra-thickness sizes are ideal for installation outdoors, both by the conventional glue method and dry.



R7KU Realstone\_Pietrantica Xt20 Bianco Tumbled Edges Strutturato Rettificato Multifornato 60X120 60X60 30X60 60x210cm



R7KJ Realstone\_Pietrantica Xt20 Beige Rt 60x120cm - R83W Pietrantica Xt20 Beige Canalina Rt 15x60cm - R84F Pietrantica Xt20 Beige Griglia Rt 15x60cm

Colorbody Fine Porcelain Stoneware



**Beige**

| Size     | Superficie         | Code | Description  | Thikness | Rett. | Caratteristiche tecniche | Use | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|--|----------|-------|--------------------------|-----|------|--------|----------------|---------------|---------------------|---------|--------------------|----|---------------|---------|------|-------|--------|-------|----------|
| 60x120cm | Structured Surface | R7KJ | Realstone_pietrantica Xt20 Beige Rt  | MM 20    | •     |                          |     | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.60 | H                  | V2 |               | 1       | 0,72 | 32,52 | 36     | 25,92 | 1.170,73 |
| 60x210cm | Structured Surface | R7KV | Realstone_pietrantica Xt20 Beige Tumbled Edges Strutturato Rettificato Multiformato 60x120 60x60 30x60 | MM 20    | •     |                          |     |      |        |                |               |                     |         | H                  | V2 |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |
| 60x210cm | Structured Surface | R8DR | Realstone_pietrantica Xt20 Beige Rt Multiformato   | MM 20    | •     |                          |     |      |        |                |               |                     |         | H                  | V2 |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |



**Bianco**

| Size     | Superficie         | Code | Description   | Thikness | Rett. | Caratteristiche tecniche | Use | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Destinazioni d'uso | V  | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|---|----------|-------|--------------------------|-----|------|--------|----------------|---------------|---------------------|---------|--------------------|----|---------------|---------|------|-------|--------|-------|----------|
| 60x120cm | Structured Surface | R7KG | Realstone_pietrantica Xt20 Bianco Rt  | MM 20    | •     |                          |     | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.60 | H                  | V2 |               | 1       | 0,72 | 32,29 | 36     | 25,92 | 1.162,33 |
| 60x210cm | Structured Surface | R7KU | Realstone_pietrantica Xt20 Bianco Tumbled Edges Strutturato Rettificato Multiformato 60x120 60x60 30x60 | MM 20    | •     |                          |     |      |        |                |               |                     |         | H                  | V2 |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |
| 60x210cm | Structured Surface | R8DP | Realstone_pietrantica Xt20 Bianco Rt Multiformato   | MM 20    | •     |                          |     |      |        |                |               |                     |         | H                  | V2 |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |



Colorbody Fine Porcelain Stoneware



**Multicolor**

| Size     | Superficie         | Code | Description   | Thickness | Rett. | Caratteristiche tecniche | Use | R    | BCR    | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF    | Destinazioni d'uso | V | Premium Tech. | Scatole | Mq   | Kg    | Pallet | Mq    | Kg       |
|----------|--------------------|------|---|-----------|-------|--------------------------|-----|------|--------|----------------|---------------|---------------------|---------|--------------------|---|---------------|---------|------|-------|--------|-------|----------|
| 60x120cm | Structured Surface | R7KK | Realstone_pietrantica Xt20 Multicolor Rt  | MM 20     | •     |                          |     | R11C | > 0.40 | Class 3        | 36+ Slider 96 |                     | >= 0.60 | H                  |   |               | 1       | 0,72 | 32,11 | 36     | 25,92 | 1.156,11 |
| 60x210cm | Structured Surface | R7KR | Realstone_pietrantica Xt20 Multicolor Tumbled Edges Strutturato Rettificato Multifornato 60x120 60x60 30x60 | MM 20     | •     |                          |     |      |        |                |               |                     |         | H                  |   |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |
| 60x210cm | Structured Surface | R8DS | Realstone_pietrantica Xt20 Multicolor Rt Multifornato   | MM 20     | •     |                          |     |      |        |                |               |                     |         | H                  |   |               | 1       | 1,26 | 60,00 | 16     | 20,16 | 960,00   |

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run


















**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

|   |   |   |   |   |   |   |   |
|---|---|---|---|---|---|---|---|
|  |  |  |  |  |  |  |  |
| ISO 14001   | ISO 9001  | Green Building Council  | GPP   | EPD Italy   | ISO 17889-1   | Greenguard  | LEED Credits  |
|  |  |  |  |  |  |  |  |
| QBUPEC F+   | FDES  | Declare   | HPD   | CAM Sassuolo  | CCC   | CE 001MRZI  | UKCA 001MRZUK   |
|   |   |  |   |   |   |   |   |
|   |   | SASO  |   |   |   |   |   |



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

**RAGNO** 