

STORIE

Wish
Collection





RADP Inedito Cannella Rt 25x150cm - RCFV Realstone_Travertino Cross Bianco Matt Rt 120x278cm - RCFW Realstone_Travertino Cross Beige Matt Rt 120x278cm - RCGG Wish Light Blue Semimatt 5x30cm

Wish

A porcelain stoneware product with semi-matt finish reproduces gentle surface variations that generate intense modulations in shade. The long, narrow small size with its streamlined look inspires original compositions in residential and commercial spaces. The new 5.3x30 cm size with its uneven edges covers walls and floors with varied patterning with a crafted "feel", cleverly adapted to a contemporary style.



RCGD Wish Yellow Semimatt 5x30cm



RAHG Richmond Rovere Struttura Woody 33x100cm - RAM2 Richmond Listello Titanio 2x100cm - RC9L Travertino Cross Beige Rt 120x120cm - RCGE Wish Brick Semimatt 5x30cm




RA2Z Argent Avorio Strutturato 6 Mm 120x120cm - RCGA Wish White Semimatt 5x30cm - RCGF Wish Green Semimatt 5x30cm

Porcelain Stoneware



Black

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGH	Wish Black Semimatt	MM 10													34	0,54	11,34	80	43,25	906,86



Brick

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGE	Wish Brick Semimatt	MM 10													34	0,54	11,32	80	43,25	905,72



Green

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGF	Wish Green Semimatt	MM 10													34	0,54	11,27	80	43,25	901,38

Porcelain Stoneware



Light Blue

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGG	Wish Light Blue Semimatt	MM 10													34	0,54	11,21	80	43,25	897,08



Petal

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGC	Wish Petal Semimatt	MM 10													34	0,54	11,12	80	43,25	889,33




White

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGA	Wish White Semimatt	MM 10													34	0,54	11,42	80	43,25	913,37




WISH COLLECTION

WISH COLLECTION



Porcelain Stoneware



Yellow

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
5,3x30cm	Semimatt	RCGD	Wish Yellow Semimatt	MM 10		 											34	0,54	11,39	80	43,25	911,25

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run



















G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Greenguard	LEED Credits	FDES	Declare	HPD	CAM Fiorano	CCC	CE 009MRZI
							
UKCA 00 9MRZUK	SASO						



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 04/05/2026

RAGNO 