

SMART FLOOR

Viaggi
Collection





RCYW Viaggi Ivory 15x15cm - RCZ4 Viaggi Ivory 15x30cm

Viaggi

Viaggi is a collection that transforms every space into a unique sensory experience. The surfaces, rich in details and nuances, evoke emotions that speak of home, warmth, and intimacy. Designed to adapt to both indoor and outdoor spaces, thanks to the 20mm thickness version, Viaggi is perfect for creating timeless corners of beauty, where nature and design coexist in perfect harmony. Each tile tells a story of style, made of evocative atmospheres and materials that last over time.



RCZ3 Viaggi Cotto 15x30cm



RCZ1 Viaggi Pomice 15x15cm



RCZ2 Viaggi Nickel 15x30cm - RCZ8 Viaggi Lead 15x30cm



Porcelain Stoneware



Cotto

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCYY	Viaggi Cotto	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ3	Viaggi Cotto	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35



Ivory


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCYW	Viaggi Ivory	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ4	Viaggi Ivory	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35



Lead

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCYX	Viaggi Lead	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ8	Viaggi Lead	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35

Porcelain Stoneware




Nickel

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCZ0	Viaggi Nickel	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ2	Viaggi Nickel	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35



Pomice



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCZ1	Viaggi Pomice	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ7	Viaggi Pomice	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35



Sand

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
15x15cm	Natural	RCYZ	Viaggi Sand	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			42	0,95	14,70	64	60,48	940,74
15x30cm	Natural	RCZ5	Viaggi Sand	MM 8,5				R10A	> 0.40	Class 2			>= 0.42	G			21	0,95	15,60	64	60,48	998,35

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



EPD Italy



CE
001MRZI



CE
009MRZI



UKCA 00
1MRZUK



UKCA 00
9MRZUK

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 04/05/2026

RAGNO 