

SMART FLOOR

**Season  
Collection**





R3RR Season Grey 60x60cm

## Season

The natural tones make the living a warm and enveloping space. Season is made of glazed porcelain stoneware and its tiles are suitable both for floor and wall covering outdoor and indoor.



R3RR Season Grey 60x60cm - R3SH Season Grey Strutturato 33x33cm

Porcelain Stoneware



**Anthracite**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R3RS	Season Anthracite	MM 8,5	•			R9		Class 1				F			3	1,08	21,03	40	43,20	841,12
30x60cm	Natural	R3RX	Season Anthracite	MM 8,5	•			R9		Class 1				F			6	1,08	21,16	48	51,84	1.015,67
30x60cm	Structured Surface	R46X	Season Anthracite Strutturato	MM 9,5				R11B		Class 3	36+ Slider 96			G			5	0,90	17,46	48	43,20	837,86
33,3x33,3cm	Structured Surface	R3SJ	Season Anthracite Strutturato	MM 08				R11C		Class 3	36+ Slider 96			G			16	1,77	30,83	38	67,42	1.171,73
33,3x33,3cm	Natural	R3SD	Season Anthracite	MM 08				R9		Class 1				F			16	1,77	29,06	38	67,42	1.104,36



**Beige**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R3RP	Season Beige	MM 8,5	•			R9		Class 1				G			3	1,08	20,75	40	43,20	829,81
30x60cm	Natural	R3RU	Season Beige	MM 8,5	•			R9		Class 1				G			6	1,08	20,69	48	51,84	993,29
30x60cm	Structured Surface	R46U	Season Beige Strutturato	MM 9,5				R11B		Class 3	36+ Slider 96			G			5	0,90	17,88	48	43,20	858,34
33,3x33,3cm	Structured Surface	R3SF	Season Beige Strutturato	MM 08				R11C		Class 3	36+ Slider 96			G			16	1,77	29,06	38	67,42	1.104,36
33,3x33,3cm	Natural	R3RZ	Season Beige	MM 08				R9		Class 1				G			16	1,77	29,06	38	67,42	1.104,36

Porcelain Stoneware



Grey


Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R3RR	Season Grey	MM 8,5	•			R9		Class 1				G			3	1,08	20,73	40	43,20	829,17
30x60cm	Natural	R3RW	Season Grey	MM 8,5	•			R9		Class 1				G			6	1,08	20,92	48	51,84	1.004,07
30x60cm	Structured Surface	R46W	Season Grey Strutturato	MM 9,5				R11B		Class 3	36+ Slider 96			G			5	0,90	17,87	48	43,20	857,82
33,3x33,3cm	Structured Surface	R3SH	Season Grey Strutturato	MM 08				R11C		Class 3	36+ Slider 96			G			16	1,77	29,44	38	67,42	1.118,65
33,3x33,3cm	Natural	R3SC	Season Grey	MM 08				R9		Class 1				G			16	1,77	29,06	38	67,42	1.104,36























Taupe

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R3RQ	Season Taupe	MM 8,5	•			R9		Class 1				G			3	1,08	21,18	40	43,20	847,06
30x60cm	Natural	R3RV	Season Taupe	MM 8,5	•			R9		Class 1				G			6	1,08	20,81	48	51,84	998,84
30x60cm	Structured Surface	R46V	Season Taupe Strutturato	MM 9,5				R11B		Class 3	36+ Slider 96			G			5	0,90	17,83	48	43,20	855,61
33,3x33,3cm	Structured Surface	R3SG	Season Taupe Strutturato	MM 08				R11C		Class 3	36+ Slider 96			G			16	1,77	30,83	38	67,42	1.171,73
33,3x33,3cm	Natural	R3SA	Season Taupe	MM 08				R9		Class 1				G			16	1,77	29,06	38	67,42	1.104,36



Porcelain Stoneware



**White**

Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R3RN	Season White	MM 8,5	•	 	 	R9		Class 1				G			3	1,08	21,55	40	43,20	862,10
30x60cm	Natural	R3RT	Season White	MM 8,5	•	 	 	R9		Class 1				G			6	1,08	20,81	48	51,84	998,84
30x60cm	Structured Surface	R46T	Season White Strutturato	MM 9,5		 	 	R11B		Class 3	36+ Slider 96			G			5	0,90	18,65	48	43,20	894,97
33,3x33,3cm	Structured Surface	R3SE	Season White Strutturato	MM 08		 	 	R11C		Class 3	36+ Slider 96			G			16	1,77	31,35	38	67,42	1.191,40
33,3x33,3cm	Natural	R3RY	Season White	MM 08		 	 	R9		Class 1				G			16	1,77	30,97	38	67,42	1.177,04

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

**D**  
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

**E**  
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

**F**  
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

**V0**  
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

**V1**  
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

**V2**  
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

**G**  
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

**H**  
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

**V3**  
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

**V4**  
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Greenguard	LEED Credits	QBUPEC	FDES	Declare	HPD	CAM Sassuolo	CCC
							
CAM Fiorano	CE 001MRZI	CE 009MRZI	CE 010MRZ	UKCA 00 1MRZUK	UKCA 00 9MRZUK	UKCA 01 0MRZUK	SASO

© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy  
T +39 0536 860800 F +39 0536 860644  
info@ragno.it  
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

**RAGNO** 