

CONCRETE EFFECT

**Concept
Collection**




Concept

The porcelain tiles in the Concept collection by Ragno have a versatile, trendy look. The collection's key feature is a concrete-like tactile effect. Concept comes in six colours and three cut sizes, and also includes a decorative mosaic. Suitable as a floor and wall covering in heavily used residential and retail locations.



Bianco

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R284	Concept Bianco 60x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		3	1,08	23,10	40	43,20	923,87
30x60cm	Natural	R28D	Concept Bianco 30x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		6	1,08	22,97	48	51,84	1.102,74
60x120cm	Natural	R2GR	Concept Bianco	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		2	1,44	31,68	36	51,84	1.140,59




Greige

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R287	Concept Greige 60x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		3	1,08	23,22	40	43,20	928,83
30x60cm	Natural	R28F	Concept Greige 30x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		6	1,08	23,15	48	51,84	1.111,25
75x75cm	Natural	R3HR	Concept Greige	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		2	1,13	22,66	42	47,25	951,85
60x120cm	Natural	R2GT	Concept Greige	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		2	1,44	30,21	36	51,84	1.087,70



Grigio

Size	Superficie	Code	Description	Thickness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R288	Concept Grigio 60x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		3	1,08	22,05	40	43,20	881,99
30x60cm	Natural	R28G	Concept Grigio 30x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		6	1,08	21,96	48	51,84	1.054,30
75x75cm	Natural	R3HT	Concept Grigio	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		2	1,13	21,91	42	47,25	920,34
60x120cm	Natural	R2GU	Concept Grigio	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			H	V2		2	1,44	30,11	36	51,84	1.083,84





Nero



Size	Superficie	Code	Description	Thikness	Rett.	Caratteristiche tecniche	Use	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Premium Tech.	Scatole	Mq	Kg	Pallet	Mq	Kg
60x60cm	Natural	R28C	Concept Nero 60x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		3	1,08	22,29	40	43,20	891,46
30x60cm	Natural	R28J	Concept Nero 30x60	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		6	1,08	21,96	48	51,84	1.054,30
75x75cm	Natural	R3HU	Concept Nero	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		2	1,13	22,50	42	47,25	945,00
60x120cm	Natural	R2GW	Concept Nero	MM 9,5	•			R10	> 0.40	Class 1	36+ Slider 96			G	V2		2	1,44	29,91	36	51,84	1.076,86

Caratteristiche Tecniche

-  Frost proof
-  Resistance deep abrasion

Destinazioni d'uso

D
 Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
 Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
 Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

Variazioni cromatiche

V0
 Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
 Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
 Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

G
 Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.


H
 Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

V3
 Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
 Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni

							
ISO 14001	ISO 50001	ISO 45001	ISO 9001	Green Building Council	GPP	EPD Italy	ISO 17889-1
							
Greenguard	LEED Credits	QBUPEC	FDES	Declare	HPD	CAM Sassuolo	CCC
							
CAM Fiorano	CE 001MRZI	CE 005MRZI	CE 009MRZI	UKCA 00 1MRZUK	UKCA 00 5MRZUK	UKCA 00 9MRZUK	SASO



© Copyright by Ragno – Marazzi Group S.r.l. 2024. All Rights Reserved Marazzi Group Srl a Socio Unico Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@ragno.it
www.ragno.it

The Company reserves the right, at any time and without prior notice, to change the information and technical characteristics given in this catalogue, none of which are to be considered legally binding. Weights, colours and dimensions are subject to the normal variations resulting from the ceramic firing process. Within the limits of printed material, the colours and aesthetic features of the products illustrated correspond as closely as possible to those of the actual products.

PDF GENERATED AUTOMATICALLY ON 11/05/2026

RAGNO 